ANALYTICA CHIMICA ACTA, VOL. 261 (1992)

AUTHOR INDEX

Alonso-Chamarro, J.
—, Bartrolí, J. and Barber, R.
Sandwich techniques in flow-injection analysis. Part 3. Simultaneous determination of Cr(VI) in two concentration ranges 219
—, Bartroli, J. and Jimenez, C.
Nitrate ion-selective electrode as reference electrode for flow-injection analysis 419
Aoki, T.
— and Kawakami, K.
Continuous-flow method for the determination of total trihalomethane formation potential in waters 335
Arefyev, A.A., see Hungerford, J.M. 351
Arruda, M.A.Z., see Giné, M.F. 533
Arruda, M.A.Z., see Zagatto, E.A.G. 59
Atsumi, H., see Wada, H. 275

Baccan, N., see Menezes Santos Filha, M. 339
Balconi, M.L.
—, Borgarello, M., Ferraroli, R. and Realini, F.
Chemical oxygen demand determination in well and river waters by flow-injection analysis using a microwave oven during the oxidation step 295
Bapat, J.B., see Edwards, R.T. 287
Barber, R., see Alonso-Chamarro, J. 219
Barnes, D.E.
— and Van Staden, J.F.
Flow-injection analysis in the evaluation of supported liquid membranes 441
Bartrolí, J., see Alonso-Chamarro, J. 219
Bartroli, J., see Alonso-Chamarro, J. 419
Benthin, S.
—, Nielsen, J. and Villadsen, J.
Flow-injection analysis of micromolar concentrations of glucose and lactate in fermentation media 145
Bergamin F°., H., see Menezes Santos Filha, M. 339
Bergamin F°., H., see Zagatto, E.A.G. 59
Bogdanski, S., see Tyson, J.F. 29
Borgarello, M., see Balconi, M.L. 295
Brienza, S.M.B., see Zagatto, E.A.G. 59
Brunetto, M.R., see Burguera, M. 105
Burguera, J.L.
—, Burguera, M., De la Guardia, M. and Salvador, A.
Pyrolysis–flow-injection analysis–spectrophotometric determination of amino acids in aqueous solutions 23
Burguera, J.L., see Burguera, M. 105
Burguera, J.L., see De la Guardia, M. 53

Burguera, M.
—, Burguera, J.L., Brunetto, M.R., De la Guardia, M. and Salvador, A.
Flow-injection atomic spectrometric determination of inorganic arsenic(III) and arsenic(V) species by use of an aluminium-column arsine generator and cold-trapping arsine collection 105
Burguera, M., see Burguera, J.L. 23
Burguera, M., see De la Guardia, M. 53
Bysouth, S.R.
— and Tyson, J.F.
Simple model of flow-injection sample transport for prediction of peak heights 549
Bysouth, S.R., see Tyson, J.F. 75

Chen, D.
—, Luque de Castro, M.D. and Valcárcel, M.
Flow-through sensing device based on derivative synchronous fluorescence measurements for the multi-determination of B_6 vitamers 269
Christian, G.D.
— and Růžička, J.
Exploiting stopped-flow injection methods for quantitative chemical assays 11
Ciceri, G., see Martinotti, W. 323

Debrah, E., see Tyson, J.F. 75
Deguchi, K., see Tanaka, A. 281
Deguchi, T., see Tanaka, A. 281
De la Guardia, M.
—, Garrigues, S., Gallignani, M., Burguera, J.L. and Burguera, M.
Flow-injection Fourier transform infrared spectrometric analysis 53
De la Guardia, M., see Burguera, J.L. 23
De la Guardia, M., see Burguera, M. 105

Edwards, R.T.
—, McKelvie, I.D., Ferrett, P.C., Hart, B.T., Bapat, J.B. and Koshy, K.
Sensitive flow-injection technique for the determination of dissolved organic carbon in natural and waste waters 287

Fang, Z.
—, Sun, L. and Xu, S.
The first decade of flow-injection analysis in China. Review 557

Ferraroli, R., see Balconi, M.L. 295
Ferrett, P.C., see Edwards, R.T. 287
Freire dos Reis, B., see Menezes Santos Filha, M. 339
Frenzel, W.
—, Oleksy-Frenzel, J. and Möller, J.
Spectrophotometric determination of phenolic compounds by flow-injection analysis 253
Fujita, M., see Suzuki, S. 39
Fung, Y.-S.
— and Mo, S.-Y.
Application of square-wave voltammetry for the determination of ascorbic acid in soft drinks and fruit juices using a flow-injection system 375

Gallignani, M., see De la Guardia, M. 53
García De María, C.
— and Townshend, A.
Sequential determination of glucose, fructose and sucrose by flow-injection analysis with immobilized enzyme reactors and spectrophotometric detection 137
García-Mesa, J.A.
—, Luque de Castro, M.D. and Valcárcel, M.
Direct automatic determination of bitterness in virgin olive oil by use of a flow-injection–sorbent extraction system 367
Garrigues, S., see De la Guardia, M. 53
Giné, M.F.
—, Tuon, R.L., Krug, F.J. and Arruda, M.A.Z.
Experimental fluctuations of flow-injection signals 533
Grzeszczyk, E.A., see Tyson, J.F. 75

Hansen, E.H.
Exploiting kinetic-based flow-injection methods for quantitative chemical assays 125
Hara, H.
— and Kusu, S.
Continuous-flow determination of phosphate using a lead ion-selective electrode 411
Hart, B.T., see Edwards, R.T. 287
Higashi, K., see Ueno, K. 241
Higuchi, K., see Muraki, H. 345
Hori, T., see Sugiyama, M. 189
Hungerford, J.M.
— and Arefyev, A.A.
Flow-injection assay of enzyme inhibition in fish using immobilized diamine oxidase 351

Ida, K., see Kang, S.W. 197
Ijyuin, H., see Sagara, F. 505
Imato, T., see Ishibashi, N. 405
Ishibashi, N.
—, Imato, T., Yamasaki, S. and Ohura, H.
Sensitivity enhancement by potentiometric flow-injection analysis based on redox reaction with an iron(III)–iron(II) buffer 405
Ishii, D., see Sagara, F. 505
Ishii, D., see Ueno, K. 241
Ishizuki, T., see Wada, H. 87

Itabashi, H.
—, Umetsu, K., Teshima, N., Satoh, K. and Kawashima, T.
Indirect spectrophotometric determination of complexing agents by flow-injection analysis based on redox reaction of copper(II) with iron(II) 213
Ivnitskii, D.M.
—, Sitdikov, R.A. and Kurochkin, V.E.
Flow-injection amperometric system for enzyme immunoassay 45
Izawa, M., see Korenaga, T. 67

Jain, A., see Verma, K.K. 233, 261
Jimenez, C., see Alonso-Chamarro, J. 419
Johansson, G., see Risinger, L. 435

Kamata, S., see Wang, E. 399
Kang, S.W.
—, Sakai, T., Ohno, N. and Ida, K.
Simultaneous spectrophotometric determination of iron and copper in serum with 2-(5-bromo-2-pyridylazo)-5- (*N*-propyl-*N*-sulphopropylamino)aniline by flow-injection analysis 197
Kawakami, K., see Aoki, T. 335
Kawashima, T.
— and Nakano, S.
Flow-injection analysis of trace elements by use of catalytic reactions 167
Kawashima, T., see Itabashi, H. 213
Kawashima, T., see Nakano, S. 183
Kobayashi, M., see Motomizu, S. 471
Kobayashi, T., see Sagara, F. 505
Kolotyrkina, I.Y., see Shpigun, L.K. 307
Korenaga, T.
—, Zhou, X., Izawa, M., Takahashi, T., Moriwake, T. and Shinoda, S.
High-sensitivity flow method for the determination of proteins with micro-flow plunger pumps 67
Korenaga, T.
Aspects of sample dispersion for optimizing flow-injection analysis systems 539
Korenaga, T., see Muraki, H. 345
Kościelniak, P., see Sperling, M. 115
Koshino, K., see Yamane, T. 205
Koshy, K., see Edwards, R.T. 287
Krug, F.J., see Giné, M.F. 533
Kurochkin, V.E., see Ivnitskii, D.M. 45
Kusu, S., see Hara, H. 411

LaRue, R.M., see Tyson, J.F. 29
Lima, J.L.F.C., see Zagatto, E.A.G. 59
Liu, J., see Ma, H. 247
Luque de Castro, M.D.
— and Valcárcel, M.
Coupling of continuous separation techniques with unsegmented flow systems. Review 425
Luque de Castro, M.D., see Chen, D. 269
Luque de Castro, M.D., see García-Mesa, J.A. 367

Ma, H.
— and Liu, J.
Flow-injection determination of cyanide by detecting an intermediate of the pyridine–barbituric acid chromogenic reaction 247
Marcos, J.
—, Ríos, A. and Valcárcel, M.
Automatic titrations in unsegmented flow systems based on variable flow-rate patterns. Part 1. Principles and applications to acid–base titrations 489
—, Ríos, A. and Valcárcel, M.
Automatic titrations in unsegmented flow systems based on variable flow-rate patterns. Part 2. Complexometric and redox titrations 495
Martinotti, W.
—, Queirazza, G., Realini, F. and Ciceri, G.
In-flow speciation of copper, zinc, lead and cadmium in fresh waters by differential-pulse anodic stripping voltammetry. Part I. Optimization of filtration and enrichment steps 323
Masuda, A., see Shabani, M.B. 315
Matsumoto, K.
—, Sakoda, K. and Osajima, Y.
Determination of L-glutamate by amperometric flow-injection analysis using immobilized glutamate oxidase: manifold for simultaneous detection of component signal and blank signal 155
Matuszewski, W., see Trojanowicz, M. 391
McKelvie, I.D., see Edwards, R.T. 287
Menezes Santos Filha, M.
—, Freire dos Reis, B., Bergamin F°., H. and Baccan, N.
Flow-injection determination of low levels of ammonium ions in natural waters employing preconcentration with a cation-exchange resin 339
Michałowski, J., see Trojanowicz, M. 391
Mo, S.-Y., see Fung, Y.-S. 375
Möller, J., see Frenzel, W. 253
Moriwake, T., see Korenaga, T. 67
Motomizu, S.
— and Kobayashi, M.
Flow-injection method for the determination of anionic surfactants after liquid–liquid extraction using on-tube visible absorption and fluorescence detection 471
— and Yoden, T.
Porous membrane permeation of halogens and its application to the determination of halide ions and residual chlorine by flow-injection analysis 461
—, Yoshida, K. and Tôei, K.
Indirect spectrophotometric determination of potassium ion in water based on the precipitation with tetraphenylborate ion and a crown ether using flow injection 225
Muraki, H.
—, Higuchi, K., Sasaki, M., Korenaga, T. and Tôei, K.
Fully automated system for the continuous monitoring of ammonium ion in fish farming plant sea water by flow-injection analysis 345
Nakagawa, G., see Wada, H. 275, 87
Nakano, S.
—, Nozawa, M., Yanagawa, M. and Kawashima, T.
Flow-injection determination of subnanogram amounts of manganese by catalysis of the oxidative coupling of *N*,*N*-dimethyl-*p*-phenylenediamine with *m*-phenylenediamine 183
Nakano, S., see Kawashima, T. 167
Nakazawa, H., see Suzuki, S. 39
Nielsen, J., see Benthin, S. 145
Nogueira, A.R.A., see Zagatto, E.A.G. 59
Nozawa, M., see Nakano, S. 183

Ohno, N., see Kang, S.W. 197
Ohura, H., see Ishibashi, N. 405
Oleksy-Frenzel, J., see Frenzel, W. 253
Ono, S.-y., see Suzuki, S. 39
Osajima, Y., see Matsumoto, K. 155

Queirazza, G., see Martinotti, W. 323

Realini, F., see Balconi, M.L. 295
Realini, F., see Martinotti, W. 323
Ríos, A., see Marcos, J. 489, 495
Risinger, L.
— and Johansson, G.
Effect of sample viscosity on the behavior of thin-channel flow-through dialyzers in flow-injection analysis 435
Růžička, J.
The second coming of flow-injection analysis 3
Růžička, J., see Christian, G.D. 11

Sagara, F.
—, Kobayashi, T., Tajima, T., Ijyuin, H., Yoshida, I., Ishii, D. and Ueno, K.
Development of a micro flow spectrophotometric titration method 505
Sagara, F., see Ueno, K. 241
Sakagishi, Y., see Suzuki, S. 39
Sakai, T., see Kang, S.W. 197
Sakoda, K., see Matsumoto, K. 155
Salvador, A., see Burguera, J.L. 23
Salvador, A., see Burguera, M. 105
Sasaki, M., see Muraki, H. 345
Satoh, K., see Itabashi, H. 213
Satomura, M., see Yao, T. 161
Shabani, M.B.
— and Masuda, A.
Determination of trace rhenium in sea water by inductively coupled plasma mass spectrometry with on-line preconcentration 315
Shinoda, S., see Korenaga, T. 67
Shpigun, L.K.
—, Kolotyrkina, I.Y. and Zolotov, Y.A.
Experience with flow-injection analysis in marine chemical research 307

Sitdikov, R.A., see Ivnitskii, D.M. 45
Sonoda, M., see Suzuki, S. 39
Sperling, M.
—, Kościelniak, P. and Welz, B.
Improvement of detection limits for flow-injection flame atomic absorption spectrometry by dedicated signal processing 115
Sperling, M., see Welz, B. 477, 91
Stewart, K.K., see Verma, K.K. 261
Sugiyama, M.
— and Hori, T.
Air-segmented continuous-flow analysis for vanadium based on a catalytic reaction with Bindschedler's green leuco base 189
Sun, L., see Fang, Z. 557
Suzuki, M., see Suzuki, S. 39
Suzuki, S.
—, Nakazawa, H., Fujita, M., Ono, S.-y., Suzuki, M., Takitani, S., Sonoda, M. and Sakagishi, Y.
Flow analysis of UV-irradiated chemicals by chemiluminescence and electron spin resonance spectroscopy 39
Suzuki, S., see Uchiyama, S. 361
Szostek, B.
— and Trojanowicz, M.
Real-time digital filters for signal processing in flow-injection analysis. Part 1. General considerations and simulation study 509
Szostek, B., see Trojanowicz, M. 391, 521

Tajima, T., see Sagara, F. 505
Takahashi, T., see Korenaga, T. 67
Takitani, S., see Suzuki, S. 39
Tanaka, A.
—, Deguchi, K. and Deguchi, T.
Spectrofluorimetric determination of cyanide and thiocyanate based on a modified König reaction in a flow-injection system 281
Teshima, N., see Itabashi, H. 213
Tian, L.-C.
— and Wu, S.-M.
Determination of chemical oxygen demand in aqueous environmental samples by segmented flow-injection analysis 301
Tôei, K., see Motomizu, S. 225
Tôei, K., see Muraki, H. 345
Townshend, A., see García De María, C. 137
Townshend, A., see Verma, K.K. 233
Trojanowicz, M.
— and Szostek, B.
Real-time digital filters for signal processing in flow-injection analysis. Part 2. Practical applications 521
—, Matuszewski, W., Szostek, B. and Michałowski, J.
Simultaneous determination of nitrite and nitrate in water using flow-injection biamperometry 391
Trojanowicz, M., see Szostek, B. 509
Tsalev, D.L., see Welz, B. 91
Tuon, R.L., see Giné, M.F. 533

Tyson, J.F.
—, Bysouth, S.R., Grzeszczyk, E.A. and Debrah, E.
Flow-injection atomic spectrometry: a new analytical technique 75
—, LaRue, R.M. and Bogdanski, S.
Detection by magnetic susceptibility for flow analysis procedures 29
Tyson, J.F., see Bysouth, S.R. 549

Uchiyama, S.
— and Suzuki, S.
Flow-injection determination of polyphenols using a plant juice carrier 361
Ueno, K.
—, Sagara, F., Higashi, K., Yakata, K., Yoshida, I. and Ishii, D.
Flow-injection spectrophotometric determination of sulphate ion with a barium chloranilate–cellulose reaction column 241
Ueno, K., see Sagara, F. 505
Umetsu, K., see Itabashi, H. 213

Valcárcel, M., see Chen, D. 269
Valcárcel, M., see García-Mesa, J.A. 367
Valcárcel, M., see Luque de Castro, M.D. 425
Valcárcel, M., see Marcos, J. 489, 495
Van Staden, J.F.
Response time phenomena of coated open-tubular solid state silver halide selective electrodes and their influence on sample dispersion in flow-injection analysis 381
Van Staden, J.F.
Simultaneous flow-injection analysis for two components with on-line dialysis and gas diffusion in series. Determination of chloride and ammonia nitrogen in industrial effluent water 453
Van Staden, J.F., see Barnes, D.E. 441
Verma, K.K.
—, Jain, A. and Stewart, K.K.
Flow-injection spectrophotometric determination of acetaminophen in drug formulations 261
—, Jain, A. and Townshend, A.
Determination of free and combined residual chlorine by flow-injection spectrophotometry 233
Villadsen, J., see Benthin, S. 145

Wada, H.
—, Atsumi, H. and Nakagawa, G.
Flow-injection fluorimetric determination of traces of calcium in brine 275
—, Zhou, X.J., Ishizuki, T., Yamada, H. and Nakagawa, G.
Direct determination of copper in serum by flow-injection analysis 87
Wang, E.
— and Kamata, S.
Potentiometric flow analysis device using membrane-coated carbon rod ion-selective electrode detectors 399

Wasa, T., see Yao, T. 161
Welz, B.
—, Tsalev, D.L. and Sperling, M.
On-line microwave sample pretreatment for the determination of mercury in water and urine by flow-injection cold-vapour atomic absorption spectrometry 91
—, Yin, X. and Sperling, M.
Time-based and volume-based sampling for flow-injection on-line sorbent extraction graphite furnace atomic absorption spectrometry 477
Welz, B., see Sperling, M. 115
Wu, S.-M., see Tian, L.-C. 301

Xu, S., see Fang, Z. 557

Yakata, K., see Ueno, K. 241
Yamada, H., see Wada, H. 87
Yamane, T.
— and Koshino, K.
Flow-injection spectrophotometric determination of trace cobalt with 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulphopropylamino)aniline: use of the rate-enhancing effect of copper(II) on the complex formation reaction of cobalt 205
Yamasaki, S., see Ishibashi, N. 405
Yanagawa, M., see Nakano, S. 183
Yao, T.
—, Satomura, M. and Wasa, T.
Amperometric flow-injection method for determination of biogenic diamines and hypoxanthine by combined use of immobilized enzyme reactors and a peroxidase electrode 161
Yin, X., see Welz, B. 477
Yoden, T., see Motomizu, S. 461
Yoshida, I., see Sagara, F. 505
Yoshida, I., see Ueno, K. 241
Yoshida, K., see Motomizu, S. 225

Zagatto, E.A.G.
—, Bergamin F°., H., Brienza, S.M.B., Arruda, M.A.Z., Nogueira, A.R.A. and Lima, J.L.F.C.
Multi-site detection in flow analysis. Part 1. Relocation of spectrophotometric detector 59
Zhou, X., see Korenaga, T. 67
Zhou, X.J., see Wada, H. 87
Zolotov, Y.A., see Shpigun, L.K. 307